

# Necrotizing Enterocolitis in a preterm Infant Newborn and role of feeding: An update



**Said Moustafa M Eldeib**

NMC Health Care Group, UAE

## Biography

Said Moustafa M Eldeib has international certifications. He has a NRP Certificate from the American Academy of Pediatrics, APLS Certificate from European Resuscitation Council, BLS Certificate from the American heart association a Certificate in E.C.G from Egyptian Medical Syndicate, PGN from Boston Medical University, USA. He also attends many certified training programs and international conferences.

## Abstract

**Statement of the Problem:** It's a clinical case presentation of a male Preterm infant Newborn (+31 weeks) who was delivered in our hospital & transferred to our NICU because of Prematurity, VLBW & need to respiratory support. Baby shortly undergo Necrotizing Enterocolitis (NEC) on 5th day of life shortly after start of expressed milk feeding! Which was early detected by use of Near Infrared Abdominal spectroscopy (NIRS). Baby was deteriorated clinically in a couple of hours & undergo intestinal perforation with peritonitis, So, Abdominal exploration surgery with intestinal resection & end – to end anastomosis was done urgently. Baby improved gradually & early feedings was started & gradually increased up to full feedings with use of Human Fortified Milk (HMF) & probiotics Prebiotics.

**Findings:** The Study stated the evidence-based Feeding Strategies guidelines for necrotizing enterocolitis (NEC) among very low birth weight infants & Role of trophic feedings, Probiotics, Prebiotics & micronutrients in Prophylaxis, Prevention & Management of NEC.

**Recommendations:** 1) Prematurity is the single greatest risk factor for NEC & avoidance of premature birth is the best way to prevent NEC. 2) The role of feeding in the pathogenesis of NEC is uncertain, but it seems prudent to use breast milk (when available) and advance feedings slowly and cautiously. 3) NEC is one of the leading causes of mortality, and the most common reason for emergent GI surgery in newborns. 4) NEC remains a major unsolved medical challenge, for which no specific therapy exists, and its pathogenesis remains controversial. 5) A better understanding of the pathophysiology will offer new and innovative therapeutic approaches, and future studies should be focused on the roles of the epithelial barrier, innate immunity, and microbiota in this disorder. 6) Bioinformatics modeling is a new emerging strategy aimed at understanding the dynamics of various inflammatory markers and their application in early diagnosis and treatment.

## Publications

1. Chronic Renal Failure in Children
2. Expanding the new techniques in Pediatric surgery
3. Recent Emerging Gut Microbiome Management Modalities in Acute Diarrhea in Children: (A Comparative Study Review of Different Probiotic Strains)



[16<sup>th</sup> International Conference on Neonatology, Pediatrics and Child Care](#) | August 10-11, 2020, Webinar

**Citation:** Said Moustafa M Eldeib, Necrotizing Enterocolitis in a preterm Infant Newborn and role of feeding: An update, Neonatology Congress 2020, 16th International Conference on Neonatology, Pediatrics and Child Care, August 10-11, 2020, Webinar, 3